



Radiation Measurement Results of 88 Items in April



When samples include natural radionuclides we can't deny the possibility of their radiation value counted together in our results.

The list below only shows the measurement results of the samples brought in.

Radioactive contamination level may differ according to sampling points even within the same address.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Polished rice	Saga	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	0.9 Bq/Kg raw
Polished rice	Akita	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	0.9 Bq/Kg raw
Polished rice	Iwaki	2015	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Sweet potato	Ibaraki	unknown	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Cucumber	Fukushima	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw
Turnip leaf	Izumi Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	2.3 Bq/Kg raw
Turnip leaf	Izumi Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.9 Bq/Kg raw
Shiitake mushroom	Tabito Iwaki	Apr-16	Cs137	124 Bq/Kg raw	±	25.0 Bq/Kg raw	152	Cs137	4.0 Bq/Kg raw
			Cs134	27.8 Bq/Kg raw	±	6.20 Bq/Kg raw		Cs134	3.8 Bq/Kg raw
Shiitake mushroom	Saku Nagano	Mar-16	Cs137	95.1 Bq/Kg raw	±	19.0 Bq/Kg raw	117	Cs137	3.3 Bq/Kg raw
			Cs134	21.9 Bq/Kg raw	±	4.9 Bq/Kg raw		Cs134	3.0 Bq/Kg raw
Bamboo shoots(law)	Ootsuka Tomioka Futaba	Apr-16	Cs137	649 Bq/Kg raw	±	130 Bq/Kg raw	793	Cs137	1.2 Bq/Kg raw
			Cs134	144 Bq/Kg raw	±	29 Bq/Kg raw		Cs134	1.1 Bq/Kg raw
Bamboo shoots(law)	Kubo Kashima Iwaki	Apr-16	Cs137	9.5 Bq/Kg raw	±	2.3 Bq/Kg raw	9.5	Cs137	1.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.8 Bq/Kg raw
Bamboo shoots(law)	Akai Taira Iwaki	Apr-16	Cs137	3.1 Bq/Kg raw	±	1.1 Bq/Kg raw	3.1	Cs137	1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Bamboo shoots(boiled)	Obama Iwaki	Apr-16	Cs137	10.4 Bq/Kg raw	±	2.3 Bq/Kg raw	12.1	Cs137	1.4 Bq/Kg raw
			Cs134	1.7 Bq/Kg raw	±	0.9 Bq/Kg raw		Cs134	1.3 Bq/Kg raw
Bamboo shoots(boiled)	Shimoyunagaya Jyoban Iwaki	Apr-16	Cs137	3.53 Bq/Kg raw	±	1.17 Bq/Kg raw	3.53	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.3 Bq/Kg raw
Bamboo shoots(boiled)	Shimoyunagaya Jyoban Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw
Aralia cordata	Gunma	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	2.1 Bq/Kg raw
Butterbur sprout	Hishidaira Komoro Nagano	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Aralia Sprout	Kamikamado Watanabe Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	2.2 Bq/Kg raw
Japanese mugwort	Shimokuramochi Kashima Iwaki	Apr-16	Cs137	13.6 Bq/Kg raw	±	3.3 Bq/Kg raw	13.6	Cs137	2.8 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	2.5 Bq/Kg raw
Japanese parsley	Kashima Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	8.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	7.3 Bq/Kg raw

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Kumquat	Youkoudai Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Thinly sliced and dried strips of radish	Shimogawa Izumi Iwaki	Jan-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Barley	Japan	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.7 Bq/Kg raw
Black bean	Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Dried gourd shavings	Tochigi	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Buckwheat	Fukushima (production)	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Shotted halibut	Aomori	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.2 Bq/Kg raw
Willow flounder	Iwate	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	2.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	2.0 Bq/Kg raw
Willow flounder	Ibaraki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Round Greeneyes (without head and viscera)	Iwaki offshore	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
School lunch	Takasaka Uchigo Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	0.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	0.9 Bq/Kg raw
School lunch	Takasaka Uchigo Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	0.9 Bq/Kg raw
School lunch	Matsugadai Jyoban Iwaki	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Milk beverage	Mito Ibaraki (production)	Apr-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.9 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.7 Bq/Kg raw
Spring water	Kawamae Iwaki	Apr-16	Cs137	— Bq/L	±	— Bq/L	Under Minimum Limit of Detection	Cs137	0.07 Bq/L
			Cs134	— Bq/L	±	— Bq/L		Cs134	0.05 Bq/L
Horsetail	Kashima Iwaki	Mar-16	Cs137	30.1 Bq/Kg raw	±	10.3 Bq/Kg raw	41.6	Cs137	1.0 Bq/Kg raw
			Cs134	11.5 Bq/Kg raw	±	6.9 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Horsetail	Hanabatake Onahama Iwaki	Mar-16	Cs137	34.3 Bq/Kg raw	±	6.3 Bq/Kg raw	40.6	Cs137	1.0 Bq/Kg raw
			Cs134	6.3 Bq/Kg raw	±	3.8 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Horsetail	Hanabatake Onahama Iwaki	Mar-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Bamboo Charcoal	Akai Taira Iwaki	Apr-16	Cs137	228 Bq/Kg raw	±	46.0 Bq/Kg raw	278	Cs137	6.8 Bq/Kg raw
			Cs134	50.1 Bq/Kg raw	±	11.1 Bq/Kg raw		Cs134	6.4 Bq/Kg raw
Bamboo Charcoal	Akai Taira Iwaki	Apr-16	Cs137	9.2 Bq/Kg raw	±	5.0 Bq/Kg raw	9.2	Cs137	1.0 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Raw cotton	Shimoasamigawa Hirono Futaba	Oct-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.2 Bq/Kg raw
Raw cotton	Ooshisa Iwaki	Oct-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw
Raw cotton	Kamiyagyuu Yotsukura Iwaki	Jan-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Raw cotton	Kamiyoshima Yoshima Iwaki	Nov-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.8 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw

※"—" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)


Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty		Total Amount of Cesium	Minimum Limit of Detection	
Raw cotton	Takahagi Ogawa Iwaki	unknown	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw
Raw cotton	Nishiogawa Ogawa Iwaki	Oct-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Raw cotton	Kamiogawa Ogawa Iwaki	Dec-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.2 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.4 Bq/Kg raw
Raw cotton	Shibahara Ogawa Iwaki	Oct-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.5 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.7 Bq/Kg raw
Raw cotton	Kamitouno Touno Iwaki	Dec-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Raw cotton	Kaminemoto Touno Iwaki	Nov-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.6 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.8 Bq/Kg raw
Raw cotton	Shimotakaku Taira Iwaki	Jan-16	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.6 Bq/Kg raw
Raw cotton	Shimohirakubo Taira Iwaki	Nov-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.7 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.9 Bq/Kg raw
Raw cotton	Kamikajiro Onahama Iwaki	Nov-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.3 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Raw cotton	Takijiri Izumi Iwaki	Oct-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.1 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.3 Bq/Kg raw
Raw cotton	Hayashizaki Yamada Iwaki	Dec-15	Cs137	— Bq/Kg raw	±	— Bq/Kg raw	Under Minimum Limit of Detection	Cs137	1.4 Bq/Kg raw
			Cs134	— Bq/Kg raw	±	— Bq/Kg raw		Cs134	1.5 Bq/Kg raw
Garden soil	Takasaka Uchigo Iwaki	Mar-16	Cs137	62.8 Bq/Kg raw	±	7.0 Bq/Kg raw	71	Cs137	1.0 Bq/Kg raw
			Cs134	8.2 Bq/Kg raw	±	1.8 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Farm soil	Oohisa Oohisa Iwaki	Apr-16	Cs137	228 Bq/Kg raw	±	27.4 Bq/Kg raw	262	Cs137	1.0 Bq/Kg raw
			Cs134	34.1 Bq/Kg raw	±	9.15 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Mountain soil	Namikura Naraha Futaba	Apr-16	Cs137	131 Bq/Kg raw	±	21.7 Bq/Kg raw	153	Cs137	1.0 Bq/Kg raw
			Cs134	22.3 Bq/Kg raw	±	9.17 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Ventilation (first floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	24934 Bq/Kg raw	±	2374 Bq/Kg raw	29,078	Cs137	15.0 Bq/Kg raw
			Cs134	4144 Bq/Kg raw	±	538 Bq/Kg raw		Cs134	16.8 Bq/Kg raw
Ventilation (first floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	37126 Bq/Kg raw	±	3446 Bq/Kg raw	43,197	Cs137	16.0 Bq/Kg raw
			Cs134	6070 Bq/Kg raw	±	736 Bq/Kg raw		Cs134	18.0 Bq/Kg raw
Ventilation (first floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	21290 Bq/Kg raw	±	2060 Bq/Kg raw	24,793	Cs137	15.0 Bq/Kg raw
			Cs134	3503 Bq/Kg raw	±	461 Bq/Kg raw		Cs134	16.8 Bq/Kg raw
Ventilation (first floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	25166 Bq/Kg raw	±	2107 Bq/Kg raw	28,763	Cs137	1.0 Bq/Kg raw
			Cs134	3597 Bq/Kg raw	±	340 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Ventilation (second floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	24419 Bq/Kg raw	±	2345 Bq/Kg raw	28,782	Cs137	16.0 Bq/Kg raw
			Cs134	4363 Bq/Kg raw	±	556 Bq/Kg raw		Cs134	18.0 Bq/Kg raw
Ventilation (second floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	23545 Bq/Kg raw	±	2291 Bq/Kg raw	27,259	Cs137	17.1 Bq/Kg raw
			Cs134	3714 Bq/Kg raw	±	521 Bq/Kg raw		Cs134	19.3 Bq/Kg raw
Ventilation (second floor)	Syounai Taira Iwaki	2011~ Mar-16	Cs137	26552 Bq/Kg raw	±	2505 Bq/Kg raw	30,666	Cs137	14.8 Bq/Kg raw
			Cs134	4114 Bq/Kg raw	±	541 Bq/Kg raw		Cs134	16.6 Bq/Kg raw
Vacuum cleaner dust TWINBIRD Cyclonic	Syounai Taira Iwaki	Mar-16	Cs137	46617 Bq/Kg raw	±	4157 Bq/Kg raw	53,854	Cs137	11.4 Bq/Kg raw
			Cs134	7237 Bq/Kg raw	±	805 Bq/Kg raw		Cs134	12.8 Bq/Kg raw

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

※Please note that the value of vacuum cleaner dust may vary according to models and specifications.

※The value of ventilation fan filters, regardless of the duration of use and the amount of the air, is converted to the value per unit weight of the filter.



★Gamma-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Total Amount of Cesium	Minimum Limit of Detection	
Vacuum cleaner dust SHARP Cyclonic	Miwa Komoro Nagano	Apr-16	Cs137	118 Bq/Kg raw	± 17.7 Bq/Kg raw	147	Cs137	1.0 Bq/Kg raw
			Cs134	28.8 Bq/Kg raw	± 8.16 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust Paper pack vacuum cleaner	Nakamori Funehiki Tamura	Apr-16	Cs137	67.5 Bq/Kg raw	± 9.7 Bq/Kg raw	84.8	Cs137	1.0 Bq/Kg raw
			Cs134	17.3 Bq/Kg raw	± 5.3 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust Cyclonic	Baba Funehiki Tamura	Apr-16	Cs137	199 Bq/Kg raw	± 33.2 Bq/Kg raw	246	Cs137	1.0 Bq/Kg raw
			Cs134	46.7 Bq/Kg raw	± 14.5 Bq/Kg raw		Cs134	1.1 Bq/Kg raw
Vacuum cleaner dust SHARP Cyclonic	Kagaminuma Kagamiishi Iwase	Apr-16	Cs137	522 Bq/Kg raw	± 61.9 Bq/Kg raw	616	Cs137	1.0 Bq/Kg raw
			Cs134	94.9 Bq/Kg raw	± 21.4 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust PANASONIC Cyclonic	Shimohirakubo Taira Iwaki	Apr-16	Cs137	22304 Bq/Kg raw	± 1838 Bq/Kg raw	25,846	Cs137	1.0 Bq/Kg raw
			Cs134	3542 Bq/Kg raw	± 311 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust PANASONIC Cyclonic	Shimohirakubo Taira Iwaki	Apr-16	Cs137	3095 Bq/Kg raw	± 278 Bq/Kg raw	3,620	Cs137	1.0 Bq/Kg raw
			Cs134	525 Bq/Kg raw	± 58.1 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust PANASONIC Cyclonic	Youkouai Iwaki	Apr-16	Cs137	2661 Bq/Kg raw	± 242 Bq/Kg raw	3,112	Cs137	1.0 Bq/Kg raw
			Cs134	451 Bq/Kg raw	± 51.7 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Vacuum cleaner dust DYSON	Kubo Kashima Iwaki	Apr-16	Cs137	1446 Bq/Kg raw	± 144 Bq/Kg raw	1,656	Cs137	1.1 Bq/Kg raw
			Cs134	211 Bq/Kg raw	± 35.9 Bq/Kg raw		Cs134	1.2 Bq/Kg raw
Vacuum cleaner dust DYSON	Okaona Onahama Iwaki	Apr-16	Cs137	566 Bq/Kg raw	± 83.5 Bq/Kg raw	664	Cs137	2.1 Bq/Kg raw
			Cs134	97.7 Bq/Kg raw	± 38.7 Bq/Kg raw		Cs134	2.3 Bq/Kg raw
Vacuum cleaner dust SHARP Cyclonic	Oohara Onahama Iwaki	Apr-16	Cs137	226 Bq/Kg raw	± 36.0 Bq/Kg raw	286	Cs137	1.1 Bq/Kg raw
			Cs134	59.8 Bq/Kg raw	± 20.0 Bq/Kg raw		Cs134	1.2 Bq/Kg raw
Vacuum cleaner dust	Teishinnchi Oohara Iwaki	Apr-16	Cs137	34.5 Bq/Kg raw	± 9.49 Bq/Kg raw	47.4	Cs137	1.0 Bq/Kg raw
			Cs134	13 Bq/Kg raw	± 5.35 Bq/Kg raw		Cs134	1.0 Bq/Kg raw
Mummified cat※	Nogami Ookuma Futaba	unknown	Cs137	1050 Bq/Kg dry	± 210 Bq/Kg dry	1,415	Cs137	16.5 Bq/Kg dry
			Cs134	365 Bq/Kg dry	± 73 Bq/Kg dry		Cs134	15.5 Bq/Kg dry
Mummified rat※	Nogami Ookuma Futaba	unknown	Cs137	2630 Bq/Kg dry	± 600 Bq/Kg dry	3,404	Cs137	297 Bq/Kg dry
			Cs134	774 Bq/Kg dry	± 248 Bq/Kg dry		Cs134	288 Bq/Kg dry
Dust in the air	Ogawa elementary school (Schoolyard)	Apr-16	Cs137	— mBq/m ³	± — mBq/m ³	Under Minimum Limit of Detection	Cs137	3.9 mBq/m ³
			Cs134	— mBq/m ³	± — mBq/m ³		Cs134	— mBq/m ³
Dust in the air	Cyuoudai Kita elementary school (Schoolyard)	Apr-16	Cs137	— mBq/m ³	± — mBq/m ³	Under Minimum Limit of Detection	Cs137	4.0 mBq/m ³
			Cs134	— mBq/m ³	± — mBq/m ³		Cs134	— mBq/m ³
Dust in the air	Nishiki nursery school (Playground)	Apr-16	Cs137	— mBq/m ³	± — mBq/m ³	Under Minimum Limit of Detection	Cs137	4.0 mBq/m ³
			Cs134	— mBq/m ³	± — mBq/m ³		Cs134	— mBq/m ³
Dust in the air	Tamagawa kindergarten (Playground)	Apr-16	Cs137	— mBq/m ³	± — mBq/m ³	Under Minimum Limit of Detection	Cs137	3.9 mBq/m ³
			Cs134	— mBq/m ³	± — mBq/m ³		Cs134	— mBq/m ³

※"_" used in Measurement Result and Uncertainty shows that the value is below the detection limit.

But it does not necessary mean 0(zero)Bq/Kg.

※Please note that the value of vacuum cleaner dust may vary according to models and specifications.

The dead body of a cat or of a rat was measured as it was found, without any pretreatment.

The actual concentration is likely to be higher than these values.



★Beta-ray

(Bq/Kg raw:Weight of raw sample Bq/Kg dry:Weight of dried sample)

Samples	Sampling Point	Sampling Month	Measurement Result		Uncertainty	Minimum Limit of Detection
Malted rice	California	unknown	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.20 Bq/Kg dry
Soybean	Canada	unknown	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.13 Bq/Kg dry
Evergreen tree	Canada	Jul-15	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	3.33 Bq/Kg dry
Sediment (moss)	Canada	unknown	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.21 Bq/Kg dry
Sediment (twig)	Canada	unknown	T(Organization)	Under Minimum Limit of Detection Bq/Kg dry	± — Bq/Kg dry	2.12 Bq/Kg dry

T(Free) : Tritium(Free water) T(Organization) : Tritium(Organization bound water) Sr90 : Strontium90

※The value below Minimum Limit of Detection does not necessary mean 0(zero)Bq/Kg.

